

Safety Data Sheet

Issue Date: 01 April -2015 Revision Date: 02-June-2018

1. IDENTIFICATION

Product Identifier

Product Name DuraMAX RV Antifreeze -100 Degrees

Other means of identification

SDS # 053

Product Number 95082CH3560, 95082CH356R, 95082CH417R

Recommended use of the chemical and restrictions on use

Recommended Use RV anti-freeze.

Details of the supplier of the safety data sheet

Supplier Address

RelaDyne, LLC 8280 Montgomery Road, Suite 101 Cincinnati, OH 45236

Emergency Telephone Number

Company Phone Number 888-830-3156

Emergency Telephone (24 hr) INFOTRAC 1-800-535-5053

2. HAZARDS IDENTIFICATION

Appearance Clear, red liquid Physical State Liquid Odor Odorless

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which, at their given concentration, are considered to be hazardous to health. However, additional component information is available in subsequent sections of this SDS.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Immediately flush eyes with large amounts of water for 20-30 minutes, lifting lower and

upper lids. Get medical attention as soon as possible. Obtain medical attention if pain,

blinking, tearing or redness persist.

Skin Contact Wash thoroughly in flowing water or shower. Promptly remove any soiled clothing and wash

thoroughly before re-use.

Inhalation If overcome by exposure, remove person to fresh air immediately. Give oxygen or artificial

respiration as needed. Obtain emergency medical attention immediately.

Ingestion If large quantity is swallowed, give a pint of lukewarm water if victim is completely

conscious and alert. If large quantities are consumed, induce vomiting. Obtain emergency

medical attention immediately.

Revision Date: 02-Jun-2018 DuraMAX RV Antifreeze -100 SDS# 053

Most important symptoms and effects

Symptoms May cause minor eye irritation. Repeated, prolonged exposure may cause slight flaking,

tenderness and softening of the skin. Excessive ingestion may cause central nervous system effects. Material and/or its emissions may aggravate pre-existing eye disease.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon monoxide and other toxic vapors.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Fight fire from a distance or protected location. Heat may build up pressure and rupture closed containers. Liquid may form slippery film. Use water spray or fog for cooling; solid stream may spread fire as burning liquid will float on water. Avoid frothing/steam explosion. Notify authorities if liquid enters sewers/public waters.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Prevent flow to sewers and public waters as it may contaminate said water. Restrict water

usage to prevent slip/fall hazard. Soak up small spills with inert solids. Dike and recover

large land spills. Notify the proper authorities if product enters any waterway.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in tightly closed and properly vented containers, away from heat, sparks, open flame

and strong oxidizing agents.

Incompatible Materials Strong alkalis. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Controls Adequate general ventilation is required; local exhaust is recommended.

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionChemical splash goggles or full face shield must be worn when the possibility exists for eye

contact due to splashing or spraying liquid, airborne particles, or vapor. Contact lenses

(butyl acetate = 1)

should not be worn.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection No special respiratory protection equipment is recommended under normal conditions of

use with adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear, red liquidOdorOdorlessColorClear redOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Rem a rks • M e</u>

pH 8.0

Melting Point/Freezing PointProduct will not freezeBoiling Point/Boiling Range187.8 °C / 370 °FFlash Point103.3 °C / 218 °F

Evaporation Rate slight

Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability Limits12.5Lower Flammability Limit2.6

Vapor Pressure <0.1 mm Hg

 Vapor Density
 2.6
 (Air=1)

 Specific Gravity
 1.04
 (Water = 1)

Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Not expected to occur.

Conditions to Avoid

Heat, flames and sparks. Incompatible Materials.

Incompatible Materials

Strong alkalis. Strong oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide and other toxic vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene Glycol	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
57-55-6			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Propylene Glycol 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50		10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

All ingredients are listed or exempt from listing on Chemical Substance Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

US State Regulations

Revision Date: 02-Jun-2018 DuraMAX RV Antifreeze -100 SDS# 053

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propylene Glycol	X		X
57-55-6			

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards Not
WLLA_	ricaitii riazarus	i iaiiiiiabiiity	motability	opecial riazards Not
	0	1	0	determined Personal

HMIS Health Hazards Flammability Physical Hazards Protection B

1

Issue Date:01-April-2015Revision Date:05-June-2018Revision Note:Updated Section 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet