SAFETY DATA SHEET

Issuing Date: 05-13-2015 **Revision Date:** 06-01-2018 **Version** 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s): 70047401-M

Product Name DRAWSOL WM 4740

Recommended use Metalworking fluid, Drawing

Uses advised against Any other purpose.

Manufacturer, Importer, Supplier

Reladyne, LLC 8280 Montgomery Road, Suite 101 Cincinnati, OH 45236

Telephone: 888-830-3156 Website: www.reladyne.com

Emergency telephone number

INFOTRAC: 888-535-5053

SECTION 2: Hazards identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2A

GHS Label elements, including precautionary statements

Signal Word

Warning

Hazard Statements

Causes serious eye irritation



Precautionary Statements

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Not applicable

Other information

Not applicable

SECTION 3: Composition/information on ingredients

This product is a mixture. Health hazard information is based on its ingredients.

Chemical Name	CAS-No	Weight %
2,2',2"-Nitrilotriethanol	102-71-6	10% - 25%
Neutralised Rosin	8050-09-7*	10% - 25%
Neutralised 2-Aminoethanol	141-43-5*	2.5% - 10%
2,2',2"-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethan	4719-04-4	0% - 1%
ol		

SECTION 4: First aid measures

4.1. Description of first-aid measures

General advice Do not get in eyes, on skin, or on clothing. When symptoms persist or in all cases of doubt

seek medical advice.

Inhalation Move to fresh air.

Skin contact Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub

affected area. Seek immediate medical attention/advice.

Ingestion Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting

without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms Eye damage/irritation

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment:, Use CO2, dry chemical,

or foam, Water spray or fog

Extinguishing media which shall not be used for safety reasons

None

5.2. Special hazards arising from the substance or mixture

Special Hazard

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Decomposition Products

None under normal use

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Advice for non-emergency

Material can create slippery conditions.

personnel

Advice for emergency responders For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

After cleaning, flush away traces with water.

6.4. Reference to other sections

See Section 8/12/13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Recommended Shelf Life

No information available.

Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

7.3. Specific end uses

Specific use(s) Metalworking fluid, Drawing

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA WEEL
2,2',2"-Nitrilotriethanol 102-71-6	TWA: 5 mg/m ³			
Neutralised Rosin 8050-09-7*		(vacated) TWA: 0.1 mg/m ³ Formaldehyde	TWA: 0.1 mg/m³ Formaldehyde	
Neutralised 2-Aminoethanol 141-43-5*	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m³ STEL: 6 ppm STEL: 15 mg/m³	

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Exposure controls

Engineering Measures Showers.

Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and body protection Wear protective gloves/clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state @20°CliquidAppearanceclear , amberOdorSlight sweetOdor ThresholdNot Applicable

Property Values Note

pH 9.3

Melting Point / Freezing PointNo information available.Boiling point/boiling range102 °C / 216 °FFlash pointNot Applicable

Evaporation rate < 1 (BuAc = 1)

Flammability (solid, gas) No information available

Flammability Limits in Air

upper flammability limitNo information available.Lower flammability limitNo information available.

Vapor pressureNo information available.Vapor densityNo information available.

Relative density 1.05 @15.5C

Solubility(ies) Water solubility: completely soluble

Partition coefficient: n-octanol/water Not Applicable

Autoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information available

Explosive properties Not Applicable Oxidizing Properties Not Applicable

9.2 Other information

Viscosity, kinematic (100°C)

Pour point

No information available
No information available

VOC Content 0 g/L ASTM E1868-10

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use conditions

10.4. Conditions to avoid

Do not freeze

10.5. Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

10.6. Hazardous decomposition products

None under normal use conditions

SECTION 11: Toxicological information

Information on likely routes of exposure

Product Information There is no data available for this product.

Inhalation There is no data available for this product.

Eye contact Irritating to eyes.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Revision Date: 06-01-2018

Component Information

Chemical Name	LD50 Oral (Rat)	LD50 Dermal (Rat/Rabbit)	LC50 Inhalation
2,2',2"-Nitrilotriethanol 102-71-6		> 16 mL/kg (Rat) > 2000 mg/kg (Rabbit)	
Neutralised Rosin 8050-09-7*	= 2800 mg/kg (Rat)	> 2500 mg/kg (Rabbit)	
Neutralised 2-Aminoethanol 141-43-5*	1720 mg/kg (Rat)		
2,2',2"-(Hexahydro-1,3,5-triazine-1,3 ,5-triyl)triethanol 4719-04-4	= 763 mg/kg (Rat)	> 2000 mg/kg(Rat)	0.371 mg/L (4h) (Rat)

Information on toxicological effects

Symptoms Moderately irritating to the eyes. Repeated or prolonged skin contact may cause skin

irritation and/or dermatitis and sensitization of susceptible persons.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization None known.

Germ Cell Mutagenicity None known.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

Reproductive toxicity None known.

Specific target organ systemic toxicity (single exposure)

None known.

Specific target organ systemic

None known.

toxicity (repeated exposure)

Aspiration hazard None known.

SECTION 12: Ecological information

Ecotoxicity

No special environmental measures are necessary.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
2,2',2"-Nitrilotriethanol	216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L EC50	10600-13000: 96 h Pimephales promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas mg/L LC50 static 450-1000: 96 h Lepomis macrochirus mg/L LC50 static		1386: 24 h Daphnia magna mg/L EC50
Neutralised Rosin	39.6: 72 h Selenastrum capricornutum mg/L EC50	60.3: 96 h Brachydanio rerio mg/L LC50		3.8: 48 h Daphnia magna mg/L EC50
Neutralised 2-Aminoethanol	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300-1000: 96 h Lepomis macrochirus mg/L		65: 48 h Daphnia magna mg/L EC50

		LC50 static 114-196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L	
		LC50 flow-through	
2,2',2"-(Hexahydro-1,3,5-tria	6.66: 72 h Desmodesmus	16.07: 96 h Brachydanio	11.9: 48 h Daphnia magna
zine-1,3,5-triyl)triethanol	subspicatus mg/L EC50	rerio mg/l LC50	mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
2,2',2"-Nitrilotriethanol	-2.53
102-71-6	

Other adverse effects No information available.

SECTION 13: Disposal considerations

Waste treatment

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations.

Contaminated packaging Observe all label precautions until container is cleaned, reconditioned or destroyed.

SECTION 14: Transport information

DOTNot regulatedTDGNot regulatedICAO/IATANot regulatedIMDG/IMONot regulated

SECTION 15: Regulatory information

International Inventories

TSCA

DSL All components are NOT on the Chemical Inventory

AICS Does not Comply
PICCS Does not Comply
KECL Does not Comply
IECSC Does not Comply
ENCS Does not Comply

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

ENCS - Japan Existing and New Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

SCAQMD Rule 1144

THIS PRODUCT DOES NOT CONTAIN VOCS AS DETERMINED BY TEST METHOD ASTM E1868-10 AND THEREFORE CAN BE USED WITH NO RESTRICTIONS AS A METAL WORKING FLUID OR AS A DIRECT CONTACT LUBRICANT IN CALIFORNIA'S SCAQMD REGION AS PER RULE 1144

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
2,2'-Iminodiethanol	111-42-2	Carcinogen
1,4-Dioxane	123-91-1	Carcinogen

International Regulations

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2B Toxic materials

Other information

Not applicable

SECTION 16: Other information

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and chemical hazards HMIS Health Hazard 2 Flammability 1 Physical Hazard 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

STOT SE - Specific target organ systemic toxicity (Single exposure) STOT RE - Specific target organ systemic toxicity (repeated exposure)

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

70047401-M - DRAWSOL WM 4740

Revision Date: 06-01-2018

VOC - Volatile organic compounds

NIOSH IDLH: Immediately Dangerous to Life or Health

 Issuing Date:
 05-13-2015

 Revision Date:
 06-01-2018

Revision Note
Updated Section 1
Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end