

# SAFETY DATA SHEET

Issue Date June 1, 2015

Revision Date June 1, 2018

# **1. PRODUCT and COMPANY IDENTIFICATION**

Product identifier Product Name	RELATECH DRAWING OIL 6610	
Other means of identification Product Code Revision Number Synonyms	002 None	
Recommended use of the chemical Recommended Use Uses advised against	l and restrictions on use Metalworking Lubricant. No information available	
Details of the supplier of the safety RelaDyne - 8280 Montgomery Rd, Ste	r <u>data sheet</u> : 101 - Cincinnati, OH	
Emergency telephone number		
24 Hour Emergency Phone Number	NFOTRAC 800-535-5053	
	2. HAZARDS IDENTIFICATION	
<u>Classification</u>		
Serious eye damage/eye irritation	Category 2B	
Label elements	Emergency Overview	
Signal Word: Warning		
Hazard statements		

Causes eye irritation

Appearance Viscous

Physical state Liquid

Odor Mild Petroleum

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses (if present and easy to do). Continue rinsing. If eye irritation persists: Get medical advice/attention

- Harmful to aquatic life with long lasting effects
- Harmful to aquatic life

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	60-90	*
			*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

	4. FIRST AID MEASURES
First aid measures	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	If skin irritation persists, call a physician. Wash contaminated clothing before reuse. Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Do NOT induce vomiting. Get medical attention. Drink 1 or 2 glasses of water.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	No information available.
Indication of any immediate medica	I attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable extinguishing media Use extinguishing measures that are a	appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the cl No information available.	nemical
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.
Protective equipment and precaution As in any fire, wear self-contained breat protective gear.	ons for firefighters athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
UNUSUAL FIRE & EXPLOSION HAZ Toxic Fumes may be evolved on burni below 120°F	ARDS ng or exposure to heat. Pressure may increase in overheated closed containers. Store

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Stop leak if you can do it without risk.
Environmental precautions	
Environmental precautions	See Section 12 for additional ecological information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Prevent product from entering drains. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing fume/mist/vapors/spray.
Conditions for safe storage, includi	ing any incompatibilities
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a dry, cool and well-ventilated place. Store at temperatures not exceeding 120°F.
Incompatible materials	Incompatible with oxidizing agents. Incompatible with strong acids and bases.
8. EX	POSURE CONTROLS/PERSONAL PROTECTION
Control parameters	
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational
Appropriate engineering controls	exposure limits established by the region specific regulatory bodies.
Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective nitrile or Neoprene™ gloves.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General Hygiene Considerations	Do not eat, drink or smoke when using this product.
9	9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Liquid

Physical state

Page 3/7

## **RelaTECH Drawing Oil 6610**

Appearance Color	Viscous Brown	Odor Odor threshold	Mild Sulfur No information available
Color	ыомп	Odor threshold	No mornation available
Property	Values	Remarks • Method	
pH	Essentially Neutral		
Melting point/freezing point	No information available		
Boiling point / boiling range	No information available		
Flash point	350°F		
Evaporation rate	Less than 0.01 (@1ATM and 25°C. n- butyl acetate=1		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	10% (Estimated Value)		
Lower flammability limit:	1% (Estimated Value)		
Vapor pressure	Less than 0.01 mm HG		
Vapor density	Greater than 1 (Air=1)		
Specific Gravity	0.95 lbs/gal: 7.9		
Water solubility	Insoluble in water		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	45 cSt @ 40°C		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
Softening point	No information available		
Molecular weight	No information available		
VOC Content (%)	Negligible		
Density	No information available		
Bulk density	No information available		
	10. STABILITY AND REAC	TIVITY	

## Reactivity

Not Applicable

# **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

## Hazardous polymerization

Hazardous polymerization does not occur.

#### Conditions to avoid

Strong oxidizing agents. Heat, flames and sparks.

## Incompatible materials

Incompatible with oxidizing agents. Incompatible with strong acids and bases.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure
--

Product Information	No data available
Inhalation	Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Contact with eyes may cause irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Ingestion	Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates,	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	5.7 ml/l 4 hours (Rat)
hydrotreated heavy paraffinic			

#### Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye Irritation Sensitization	May cause s	yes. kin and eye irritation. PRC AUSE IRRITATION.	DLONGED OR REPEATEI	D CONTACT MAY DRY
Germ cell mutagenicity	No information	on available.		
Carcinogenicity	No information	on available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2	Group 1		Х
Reproductive toxicity STOT - single exposure STOT - repeated exposur Aspiration hazard	No informatio No informatio <b>e</b> No informatio No informatio	on available. on available.		

#### Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Harmful to aquatic life with long lasting effects

0.12% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50

# Persistence and degradability

Chemical Name	Biodegradability

Petroleum distillates, hyd	Irotreated heavy paraffinic	Inherent
other adverse effects	No information available	
	13. DISPOSAL C	ONSIDERATIONS
Vaste treatment methods		
Disposal of wastes	Disposal should be in acc regulations.	ordance with applicable regional, national and local laws and
Contaminated packaging	Do not reuse container.	
	14. TRANSPOR	TINFORMATION
<u>DOT</u>	14. TRANSPOR	T INFORMATION
DOT		TINFORMATION

15. REGULATORY INFORMATION		
International Inventories		
TSCA	All components of this material are on the US TSCA Inventory or are exempt.	
DSL/NDSL	Does not comply	
EINECS/ELINCS	Does not comply	
ENCS	Does not comply	
IECSC	Does not comply	
KECL	Does not comply	
PICCS	Does not comply	
AICS	Does not comply	

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

# AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	SARA 313 - Threshold Values %
None		
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
None				

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania

## U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION					
<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Properties -	
HMIS	Health hazards 1	Flammability 1	Physical hazards	Personal protection	
Issue Date Revision Date	June 1, 2015 June 1, 2018				
Revision Note	50116 T, 2	010			
Updated Section 1					
<u>Disclaimer</u>					
The information prov	vided in this Safety Data S	Sheet is correct to the b	est of our knowledge, inf	ormation and belief at the	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**