

# SAFETY DATA SHEET

**Issue Date** August 19, 2016

Revision Date June 19, 2018

# **1. PRODUCT and COMPANY IDENTIFICATION**

Product identifier Product Name	RelaTECH Gun Drill Oil 415		
<u>Other means of identification</u> Product Code Revision Number Synonyms	951620415GD 002 None		
Recommended use of the chemical Recommended Use Uses advised against	and restrictions on use Metalworking Lubricant. No information available		
Details of the supplier of the safety Manufacturer Address RelaDyne, LLC – 8280 Montgomery www.reladyne.com Emergency tele	v Road, Suite 101 – Cincinnati, OH 45236		
Company Phone Number 24 Hour Emergency Phone Number	888-830-3156 INFOTRAC 800-535-5053		
	2. HAZARDS IDENTIFICATION		
<u>Classification</u>			
Serious eye damage/eye irritation	Category 2B		
Label elements			
<b>a</b>	Emergency Overview		
Signal Word: Warning Hazard statements Causes eye irritation			
Appearance Viscous	Physical state Liquid	Odor	Mild Petroleum

## **Precautionary Statements - Prevention**

•

Wash face, hands and any exposed skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses (if present and easy to do). Continue rinsing. If eye irritation persists: Get medical advice/attention

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	30-40	*
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	50-60	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
First aid measures		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	If skin irritation persists, call a physician. Wash contaminated clothing before reuse. Wash with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Do NOT induce vomiting. Get medical attention. Drink 1 or 2 glasses of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media Use extinguishing measures that a	re appropriate to local circumstances and the surrounding environment.	

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical
--

No information available.

## Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **UNUSUAL FIRE & EXPLOSION HAZARDS**

Toxic Fumes may be evolved on burning or exposure to heat. Pressure may increase in overheated closed containers. Store below 120°F

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Stop leak if you can do it without risk.	
Environmental precautions		
Environmental precautions	See Section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Prevent product from entering drains. Pick up and transfer to properly labeled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing fume/mist/vapors/spray.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a dry, cool and well-ventilated place. Store at temperatures not exceeding 120°F.	
Incompatible materials	Incompatible with oxidizing agents. Incompatible with strong acids and bases.	
8. EX	POSURE CONTROLS/PERSONAL PROTECTION	
Control parameters		
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational	
Appropriate engineering controls	exposure limits established by the region specific regulatory bodies.	
Engineering Controls	Showers Eyewash stations Ventilation systems.	
Individual protection measures, su	ch as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective nitrile or Neoprene™ gloves.	
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
General Hygiene Considerations	Do not eat, drink or smoke when using this product.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Liquid

Physical state

SDS #: 365

Appearance Color	Liquid Dark Brown	Odor Odor threshold	Mild Sulfur No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate	Values Essentially Neutral No information available No information available 400°F Less than 0.01 (@1ATM and 25°C. n-butyl acetate=1	<u>Remarks • Method</u>	
Flammability (solid, gas) Flammability Limit in Air	No information available		
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	10% (Estimated Value) 1% (Estimated Value) Less than 0.01 mm HG Greater than 1 (Air=1) 0.92 lbs/gal: 7.6 Insoluble in water No information available No information available No information available 10-14 cSt@ 40°C No information available No information available No information available		
Other Information			
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available Negligible No information available No information available		

# **10. STABILITY AND REACTIVITY**

## **Reactivity**

Not Applicable

### **Chemical stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

### Hazardous polymerization

Hazardous polymerization does not occur.

## Conditions to avoid

Strong oxidizing agents. Heat, flames and sparks.

#### **Incompatible materials**

Incompatible with oxidizing agents. Incompatible with strong acids and bases.

## **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

Product Information	No data available
Inhalation	Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Contact with eyes may cause irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Ingestion	Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated heavy naphthenic	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	5.7 ml/l 4 hours (Rat)

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye in Irritation	rritation Irritating to May cause	May cause skin and eye irritation. PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION.		
Sensitization	No informat	No information available.		
Germ cell mutagenicity	No informat	ion available.		
Carcinogenicity	No informat	ion available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2	Group 1		X
Reproductive toxicity	No informat	No information available.		
STOT - single exposure	No informat	No information available.		
STOT - repeated exposure	No informat	ion available.		
Aspiration hazard	No informat	No information available.		

#### Numerical measures of toxicity - Product Information

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Harmful to aquatic life with long lasting effects

0.12% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50

#### Persistence and degradability

Chemical Name	Biodegradability
Petroleum distillates, hydrotreated heavy naphthenic	Inherent

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

# **14. TRANSPORT INFORMATION**

<u>DOT</u>	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated

# **15. REGULATORY INFORMATION**

All components of this material are on the US TSCA Inventory or are exempt.
Does not comply

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	SARA 313 - Threshold Values %	
None			

## SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
None				

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania

## U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION					
NFPA	Health hazards 1	Flammability	1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 1	Flammability	1	Physical hazards	Personal protection
Issue Date	August 19, 2016				
Revision Date					
Revision Note					
Updated Section 1					
<u>Disclaimer</u>					
The information provid	led in this Safety Data	Sheet is correct to	o the	best of our knowledge, info	rmation and belief at the
date of its publication.	The information given	is designed only	as gu	idance for safe handling, u	se, processing, storage,
					ion. The information relates
only to the specific ma	terial designated and r	nay not be valid f	or su	ch material used in combina	ation with any other

materials or in any process, unless specified in the text.

#### End of Safety Data Sheet