



Safety Data Sheet

Relatech White Oil 35

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Relatech White Oil 35

Manufactured For: RelaDyne, LLC

8280 Montgomery Road, Suite 101

Cincinnati, OH 45236

United States

Emergency Telephone Number: 800-535-5053

INFOTRAC

This material is a USP grade white oil used for Recommended use a variety of applications such as blending food

a variety of applications such as blending food grade lubricants and in the production of the cosmetics and pharmaceuticals, (excipient use

only).

RelaDyne, LLC

Prepared By 888-830-3156

www.reladyne.com

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

| Appearance | Liquid |
|------------|--------------------------------------|
| Color | Clear and Bright |
| Odor | No odor or slight petroleum oil like |

GHS Classification

Aspiration Hazard: Not a hazardous substance or mixture

GHS Label Element

Hazard Pictograms: Not a hazardous substance or mixture



Signal Word: None

Hazard Statements: None special

Precautionary Statements: None special

Potential Health Effects

Primary Routes of Entry: Eye Contact

Ingestion Inhalation Skin Contact

Aggravated Medical Condition: None Known

Carcinogenicity:

IARC No component of this product present at levels

greater than or equal to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

ACGIH No component of this product present at levels

greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA No component of this product preset at levels

greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels

greater than or equal to 0.1% is identified as a

known anticipated or carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture: Substance



Hazardous Components

| Chemical Name | CAS-No. | Concentration (%) |
|-------------------------------|-----------|-------------------|
| White Mineral Oil (petroleum) | 8042-47-5 | 100% |

FIRST AID MEASURES SECTION 4.

If inhaled: Move to fresh air.

Artificial respiration and/or oxygen may be

necessary. Seek medical advice.

In case of skin contact: In case of contact, immediately flush skin with

> plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or used recognized skin cleanser. Wash clothing

before reuse. See medical advice.

Remove contact lenses. Rinse immediately In case of eye contact:

> with plenty of water, also under the eyelids for at least 15 minutes. Obtain medical attention.

If swallowed: Rinse mouth with water. DO NOT induce

> vomiting unless directed to do so by a physician or position control center. Never give anything by mouth to an unconscious

person. See medical advice.

Most important symptoms and

effects, both acute and delayed:

First aider needs to protect himself.

FIREFIGHTING MEASURES SECTION 5.

Suitable Extinguishing Media: Use extinguishing that measures are

appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media: No information available.

Specific hazards during firefighting: Cool closed containers exposed to fire with

water spray.

Hazardous Combustion Products: Carbon oxides (CO, CO2) smoke and irritating

vapors as products of incomplete combustion.



Further Information: Prevent fire extinguishing

from contaminating surface water or the

ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURE

Personal precautions, protective

Use personal protective equipment.

equipment and emergency procedures: Ensure

adequate ventilation. Evacuate personnel to safe areas. Material can create

slippery conditions.

Environmental Precautions:

Do not allow uncontrolled discharge or product

into the environment.

and Cleaning Up:

Methods and Materials for Containment Prevent further leakage or spillage if

safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Nonsparking tools should be used. Ensure adequate ventilation. Contact the proper local

authorities.

SECTION 7. HANDLING AND STORAGE

Advice on Safe Handling:

For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed

when not in use.

Conditions for Safe Storage:

Store in original container

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labeled containers. To maintain product quality, do not store in heat or

direct sunlight.

SECTION 8. **EXPOSURE CONTROL/PERSONAL PROTECTION**

Components with workplace control parameters



Contains no substances with occupational exposure limit values.

Engineering Measures: No special ventilation requirements. Good

general ventilation should be sufficient to workers control exposure to airborne

containments.

Personal Protective Equipment

Respiratory Protection: Use respiratory protection unless adequate

is provided or local exhaust ventilation exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Filter Type: Organic Vapor Filter

Hand Protection Material: Neoprene, nitrile, polyvinyl alcohol (PVA), Viton

(R).

Remarks: Chemical-resistant, impervious gloves

> complying with approved standards should be work at all times when handling chemical products if a risk assessment indicates this is

necessary.

Eye Protection: Wear face-shield and protective suit for

abnormal processing problems.

Skin and Body Protection: Choose body protection in relation to its type,

to the concentration and amount of dangerous

substances, and to the specific work-place.

Protective Measures: Wash contaminated clothing before re-use. No

special protective equipment required.

Hygiene Measures: Remove and wash contaminated clothing and

> gloves, including the inside, before re-use. Wash face, hands and any exposed skin

thoroughly after handling.

PHYSICAL AND CHEMICAL PROPERTIES SECTION 9.

Liquid Appearance:



Color: Clear and Bright

Odor: No odor or slight petroleum oil like.

Odor Threshold:

pH:

No data available

No data available

Pour Point:

-15 °C (5 °F)

Boiling Point/Boiling Range No data available Flash Point > 255 °C (491 °F)

Method: Cleveland open cup

Fire Point No data available Auto-Ignition Temperature: No data available Evaporation Rate: No data available

Flammability: Low fire hazard. This material must be heated

before ignition will occur.

Upper Explosion Limit:

Lower Explosion Limit

Vapor Pressure:

Relative vapor density:

No data available

No data available

No data available

Density: 0.867 kg/l (15 °C / 59 °F)

Solubility(ies)

Water Solubility: Insoluble

Partition coefficient: noctanol/water: No data available

Viscosity, kinematic: 68 cSt (40 °C / 104 °F)

Explosive Properties: Do not pressurize, cut, weld, braze, solder,

drill, grind or expose containers to heat or

sources of ignition.

SECTION 10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerization does not occur.

Stable under normal conditions.

Condition to Avoid: No data available.

Incompatible Materials: Reactive with oxidizing agents.

Hazardous Decomposition Products: May release Cox, smoke and irritation vapors

when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on Likely Eye Contact Eyes



Routes of Exposure: Ingestion

Inhalation Skin Contact

Acute Toxicity **Product:**

Acute Oral Toxicity

Acute Inhalation Toxicity

Acute Dermal Toxicity

Remarks: No data available
Remarks: No data available
Remarks: No data available

Components:

White Mineral Oil (Petroleum):

Acute Oral Toxicity LD50 (Rat): > 5,000 mg/kg Acute Inhalation Toxicity LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Acute Dermal Toxicity

Test Atmosphere: dust/mist LD50 (Rabbit): >2,000 mg/kg

Skin Corrosion/Irritation

Product:

Remarks: No data available

Components:

White Mineral Oil (Petroleum): Result: Mild Skin Irritation

Serious Eye Damage/Eye Irritation

Product:

Remarks: No data available

Components:

White Mineral Oil (Petroleum): Result: Mild Skin Irritation

Respiratory or Skin Sensitisation
Germ Cell Mutagenicity
No data available
Carcinogenicity
No data available
Reproductive Toxicity
No data available
STOT-Single Exposure
No data available
STOT-Repeated Exposure
No data available



SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICITY PRODUCT:

Toxicity to Fish:

No data available
Toxicity to daphnia and other aquatic No data available

invertebrates

Toxicity to Algae No data available Toxicity to Bacteria No data available

PERSISTENCE and DEGRADABILITY

PRODUCT:

Biodegradability:

Bioaccumulative Potential

Mobility in Soil

Other Adverse Affects

No data available

No data available

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from Residues: The product should not be allowed to enter

drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labeled prior to recycling or disposal. Send to a licensed waste management company. Dispose of as hazardous waste in compliance with local national regulations. Dispose of product residue in accordance with the instructions of the person responsible for

waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR Not regulated as a dangerous good IMDG-CODE Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

49 CFR Not regulated as a dangerous good TDG Not regulated as a dangerous good

Special precautions for user Not Applicable

8 of 10

Revision Date: June 25, 2018



SECTION 15. REGULATORY INFORMATION

OSHA Hazards: No OSHA Hazards

The components of this product are reported in the following inventories:

DSL: On the inventory or in compliance with the

inventory.

TSCA: All chemical substances in this product are

either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.


EINECS: On the inventory or in compliance with the

inventory.

SECTION 16. OTHER INFORMATION

FURTHER INFORMATION

NFPA:



Special hazard.

HMIS III:

| HEALTH | 1 |
|---------------------|---|
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | В |

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

For Copy of (M)SDS: RelaDyne LLC

8280 Montgomery Road, Suite 101

Cincinnati, OH 45236

United States 888-830-3156

glcs@reladyne.com

This Safety Data Sheet is prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. The information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.