DuraMAX Fuel Injector Cleaner

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Date of issue: 12/31/2014 Revision date: 11/30/2018 Version: 1.0



	Version: 1.0 LIQUID ARMOR
SECTION 1: Identification of the	substance/mixture and of the company/undertaking
.1. Product identifier	
Product name	: DuraMAX Fuel Injector Cleaner
Product code	: 95076FIC212
SDS	: 471
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Fuel System cleaner.
1.3. Details of the supplier of the sa	afety data sheet
RelaDyne	
8280 Montgomery Road, Suite 101	
Cincinnati, OH 45236 888-830-3156Ph. 513.489.6000	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC 800-535-5053
SECTION 2: Hazards identification	
2.1. Classification of the substance	e or mixture
GHS-US classification	
Flammable Liquid 2 Skin irritation 2	
Carcinogenicity 2	
Specific target organ toxicity - Single expos	sure 3
Aspiration hazard 1	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Highly flammable liquid and vapor. Causes skin irritation. May cause drowsiness or dizziness.
	May be fatal if swallowed and enters airways.
Precautionary statements (GHS-US)	: Keep away from heat/sparks/open flames/hot surfaces.– No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. Wash hands thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. If on skin (or hair): Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed:
	Immediately call a poison center/doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.
2.3. Other hazards	Immediately call a poison center/doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Dispose of contents and
2.3. Other hazards No additional information available	Immediately call a poison center/doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Dispose of contents and
	Immediately call a poison center/doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

3.1. Substance

Not applicable

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Kerosene, petroleum	(CAS No) 8008-20-6	60 - 100	Flam. Liq. 3 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
Polyolefin alkyl phenol alkyl amine	Propriatary	1 - 2	Skin Irrit. 2 Eye Irrit. 2A
Pseudocumene	(CAS No) 95-63-6	0.5 - 1.5	Flam. Liq. 3 Acute Tox. 4 (Inhalation) Skin Irrit. 2 Eye Irrit. 2A STOT SE 3
Naphthalene	(CAS No) 91-20-3	< 0.5	Acute Tox. 4 (Oral) Carc. 2

* The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention if you feel unwell.		
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.		
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.		
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.		
4.2. Most important symptoms and effect	cts, both acute and delayed		
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.		
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.		
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.		
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.		

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

CECTION F. Firefielding an engine			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Powder, water spray, foam, carbon dioxide.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the sul	ostance or mixture		
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon, aldehydes, hydrocarbons.		
5.3. Advice for firefighters			
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distant ignition source and flash back. Use water spray to keep fire-exposed containers cool.		
SECTION 6: Accidental release meas	sures		
6.1. Personal precautions, protective eq	uipment and emergency procedures		
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.		
6.2. Methods and material for containme	ent and cleaning up		
For containment	 Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). 		
Methods for cleaning up	: Scoop up material and place in a disposal container. Provide ventilation.		

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage		
7.1. Precautions for safe	handling	
Precautions for safe handling	: Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. Use only non-sparking tools. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.	
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Store locked up, Keep cool, Keep away from heat, sparks, and flame.	

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection			
3.1. Control parameters			
Kerosene, petroleum (8008-20-6)			
USA ACGIH	ACGIH TWA (mg/m ³)	200 mg/m ³	
Polyolefin alkyl pho	enol alkyl amine (Propriatary)		
ACGIH	Not applicable		
OSHA	Not applicable		
Pseudocumene (95-63-6)			

Pseudocumene (95-63-6	Pseudocumene (95-63-6)	
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Exposure controls	
Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and	d chemical properties
Physic	al state	: Liquid
Appea	rance	: Clear
Color		: Amber
Odor		: Petroleum odor
Odor th	hreshold	: No data available
pН		: No data available
Relativ	ve evaporation rate (butylacetate=1)	: No data available
Melting	g point	: No data available
Freezii	ng point	: No data available
Boiling	j point	: No data available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Flash point	: 22 °C (71 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.864 - 0.869
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
No dangerous reaction known under conditions of normal use.			
10.2.	Chemical stability		
Stable under normal storage conditions. May form flammable/explosive vapor-air mixture.			
10.3.	Possibility of hazardous reactions		
No dangerous reaction known under conditions of normal use.			
10.4.	Conditions to avoid		
Heat. Incompatible materials. Open flame.			
10.5.	Incompatible materials		
Strong oxidizing agents.			
10.6.	Hazardous decomposition products		
May include, and are not limited to: oxides of carbon, aldehydes, hydrocarbons.			

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified.

DM212		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat No data available		
Kerosene, petroleum (8008-20-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	> 5.28 mg/l/4h	
Pseudocumene (95-63-6)		
LD50 oral rat 3280 mg/kg		
LD50 dermal rabbit	> 3160 mg/kg	
LC50 inhalation rat	18 g/m³/4h	
Skin corrosion/irritation : Causes skin irritation.		
Serious eye damage/irritation : Based on available data, the classification criteria are not met.		
espiratory or skin sensitisation : Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.	
Carcinogenicity : Suspected of causing cancer.		

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure) :	Based on available data, the classification criteria are not met.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

12.4 Toxicity	
12.1. Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
12.2. Persistence and degradability	
DM212	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
DM212	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
Additional information	: Handle empty containers with care because residual vapors are flammable.
SECTION 14: Transport information	
In accordance with DOT	
UN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s. (Petroleum, Pseudocumene)
Department of Transportation (DOT) Hazard Classes	: 3
Hazard labels (DOT)	
Packing group (DOT)	: 11
Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Pseudocumene (95-63-6)	
Listed on United States SARA Section 313	
SARA Section 313 - Emission Reporting	1.0 %
DM212	

SECTION 16: Other information

Indication of changes	: None.
Date of issue	: 11/30/2018
Other information	: None.
NFPA health hazard	: 2
NFPA health hazard NFPA fire hazard	: 2 : 3



This Safety Data Sheet is prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. The information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.