

Product identifier used on the label: DURAMAX SYNTHETIC LIMITED SLIP GEAR 75W140

**Product Code:** 950677514LS **Revision Date:** 03-23-2021

Replaces:

### **DuraMAX Synthetic Gear 75W140**

#### 1. Identification

Product identifier used on the label: DURAMAX SYNTHETIC LIMITED SLIP GEAR 75W140

**Product Code:** 950677514LS

**SDS** #: 450

Other means of identification:

Synonyms: No data available Recommended use of the chemical and restrictions on use:

Recommended use: Gear Oil

**Restrictions on use:** Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

RelaDyne, LLC

8280 Montgomery Road, Suite 101

importer, or other responsible party:

Cincinnati, OH 45236 www.reladyne.com

**Phone number:** 888-830-3156

**Emergency phone number:** INFOTRAC 800-535-5053

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

% unknown toxicity (Oral):
% unknown toxicity (Dermal):
% unknown toxicity (Inhalation Gas):
41.809998 % of the mixture consists of ingredient(s) of unknown toxicity.
41.809998 % of the mixture consists of ingredient(s) of unknown toxicity.
41.809998 % of the mixture consists of ingredient(s) of unknown toxicity.

### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Lubricating oils (petroleum),	No data available	72623-87-1	30 - 60
C20-50, hydrotreated neutral oil-			
based			

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

#### 4. First-aid measures

Product identifier used on the label: DURAMAX SYNTHETIC GEAR 75W140

**Product Code:** 950677514LS **Revision Date:** 03-23-2021 **Replaces:** 09-26-2017

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

**Eye Contact:** None expected to be needed, however, use an eye wash to remove a

chemical from your eye regardless of the level of hazard.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or

persists.

**Ingestion:** No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

Most important symptoms/effects,

acute and delayed:

None Known

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available.

### 5. Fire-fighting measures

#### Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

**Unsuitable extinguishing media:** No data available

Specific hazards arising from the

chemical:

No data available

Hazardous combustion products: Carbon dioxide, Carbon monoxide

Special protective equipment and

precautions for fire-fighters:

No data available

#### 6. Accidental release measures

Personal precautions, protective

equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

Product identifier used on the label: DURAMAX SYNTHETIC GEAR 75W140

**Product Code:** 950677514LS **Revision Date:** 03-23-2021 **Replaces:** 09-26-2017

found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

### 7. Handling and storage

**Precautions for safe handling:** 

Mildly irritating material. Avoid unnecessary exposure. No data available

Conditions for safe storage, including

any incompatibilities:

**Safe storage conditions:** Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

### 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Lubricating oils	5 mg/m3	5 mg/m3	10 mg/m3	No data available
(petroleum), C20-50,				
hydrotreated neutral oil-				
based				

Appropriate engineering controls: Use local exhaust ventilation

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None

required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne

Product identifier used on the label: DURAMAX SYNTHETIC GEAR 75W140

**Product Code:** 950677514LS **Revision Date:** 03-23-2021 **Replaces:** 09-26-2017

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Eye protection:** No special requirements under normal industrial use.

**Skin protection:** Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Gloves: Nitrile

**General hygiene conditions:** No data available

### 9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Beige
Odor: Mild

Odor Threshold: Not determined PH: No data available

Melting point/freezing point:

Melting Point:

No data available

Freezing point:

No data available

Initial boiling point and boiling range

(°C):

Flash Point (°C): 232

**Evaporation Rate:**No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

Not established

250

Lower flammability or explosive

limits:

Not established

Vapor pressure: No data available Vapor density: No data available

**Relative density:** 0.85

Product identifier used on the label: DURAMAX SYNTHETIC GEAR 75W140

**Product Code:** 950677514LS **Revision Date:** 03-23-2021 **Replaces:** 09-26-2017

**Solubility(ies):** Negligible; 0-1%

Partition coefficient: n-octanol/water: 3.9

Auto-ignition temperature:No data availableDecomposition Temperature:Not determined

Viscosity: 171.8
Volatile organic compound (VOC) 0.000000

content and percentage of volatiles:

### 10. Stability and reactivity

Reactivity:

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** None expected under standard conditions of storage.

Conditions to avoid (e.g., static discharge, shock, or vibration):

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

**Incompatible materials:** Strong oxidizing agents

**Hazardous decomposition products:** No data available

#### 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

No data available

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

None Known

#### Delayed and immediate effects and also chronic effects from short- and long-term exposure:

**Ingestion Toxicity:** Although this product has a low order of acute oral toxicity, aspiration of

minute amounts into the lungs during ingestion or vomiting may cause

mild to severe pulmonary injury and possibly death.

**Skin Contact:** This material is estimated to be slightly irritating (Primary Irritation Index

is 0.5 - 3.0 [rabbits]). Can cause minor skin irritation, defatting, and

dermatitis.

**Absorption:** Likely to be practically non-toxic based on animal data.

Product identifier used on the label: DURAMAX SYNTHETIC GEAR 75W140

**Product Code:** 950677514LS **Revision Date:** 03-23-2021 **Replaces:** 09-26-2017

**Inhalation Toxicity:** No hazard in normal industrial use. Likely to be practically non-toxic

based on animal data.

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

**Sensitization:** No data available

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Other information: No data available

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 2.18 mg/L

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Ch	emical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There a	re no components			
that are	known or reported			
to	cause cancer.			

### 12. Ecological information

Ecotoxicity (aquatic and terrestrial,

No data available

where available):

**Ecological Toxicity Data:** 

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Lubricating oils	72623-87-1	> 1000 mg/L	No data available	Aquatic LC50 (96h)

Product identifier used on the label: DURAMAX SYNTHETIC GEAR 75W140

**Product Code: 950677514LS Revision Date:** 03-23-2021 Replaces: 09-26-2017

(petroleum), C20-50,		> 5000 mg/L
hydrotreated neutral oil-		
based		

Persistence and degradability: No data available

**Bioaccumulative potential:** Bioconcentration is not expected to occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

No data available

### 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated

Spent or discarded material is non-hazardous according to environmental

regulations.

packaging:

**Contaminated packaging:** Recycle containers whenever possible.

### 14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

**DOT Basic Description:** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG,

IATA/ICAO).

International carriage of dangerous goods by sea (IMDG/IMO):

**UN number:** Not regulated by IMDG

**UN Proper shipping name:** Not applicable Transport hazard class(es): Not applicable Packing group, if applicable: Not applicable

International carriage of dangerous goods by air (IATA):

**UN number:** Not regulated by IATA

**UN Proper shipping name:** Not applicable Transport hazard class(es): Not applicable

Product identifier used on the label: DURAMAX SYNTHETIC GEAR 75W140

**Product Code:** 950677514LS **Revision Date:** 03-23-2021 **Replaces:** 09-26-2017

Packing group, if applicable: Not applicable

Environmental hazards (e.g., Marine

None.

pollutant (Yes/No)):

Transport in bulk (according to Annex II

No data available

of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs to be aware of or needs to comply with

in connection with transport or conveyance either within or outside

their premises:

### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** All components of this material are on the US TSCA Inventory or are

exempt.

### **Regulated Components:**

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Lubricating oils (petroleum), C20-50, hydrotreated neutral	72623-87-1	N	N	N	N
oil-based					
Alkyl ester		N	N	N	N

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	N	N	N	N
Alkyl ester		N	N	N	N

Product identifier used on the label: DURAMAX SYNTHETIC GEAR LIMITED SLIP 75W140

Product Code: 950677514LS Revision Date: 03-23-2021 Replaces: 09-26-2017

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	N	N	N	N	N
Alkyl ester		N	N	N	N	N

### 16. Other information, including date of preparation or last revision.

SDS Prepared by: RelaDyne, LLC

**Revision Date:** 03-23-2021

Revision Number: NEW VERSION

Reason for revision:

Name Update

**References:** 

Other Info:

No data available

**Disclaimer:** This Safety Data Sheet is prepared according to the Hazard Communication

Standard (CFR29 1910.1200) HazCom 2012. The information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the

product.