

Product identifier used on the label: Duramax Full Synthetic XLT

High Mileage 5W30 SP/GF-6A **Product Code:** 950250530HX **Revision Date:** 09-15-2022

**Replaces:** 

1. Identification

Product identifier used on the label: Duramax Full Synthetic XLT High Mileage 5W-30 SP/GF-6A

Product Code: 950250530HX

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Motor Oil

**Restrictions on use:** Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

al manufacturer

importer, or other responsible party: 8280 Montgomery Road, Suite 1

Cincinnati, OH 45236

Reladyne, LLC.

**Phone number:** (888) 830-3156

**E-mail address:** sds@reladyne.com

**Emergency phone number:** INFOTRAC (800) 535-5053

#### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

**GHS Classification:** Eye irritation, category 2A

Carcinogenicity, category 1B
Aspiration hazard, category 1

Chronic aquatic hazard, category 3

**Label Elements:** 

Hazard Pictograms: Irritant (GHS07)

Health Hazard (GHS08)

Signal Word: Danger

Hazard Statements: H319 Causes serious eye irritation

H350 May cause cancer.

H304 May be fatal if swallowed and enters airways
H412 Harmful to aquatic life with long lasting effects

**Precautionary Statements:** P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing and eye protection.

Product identifier used on the label: 5W30 FS HM SP/GF-6A Product

**Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

P201 Obtain special instructions before use

 $\ensuremath{\mathsf{P202}}$  Do not handle until all safety precautions have been read and

understood

P273 Avoid release to the environment

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

P337+P313 If eye irritation persists: Get medical attention.

P308+P313 If exposed or concerned: Get medical advice.

P331 Do NOT induce vomiting

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER.

P405 Store locked up

P501 Dispose of contents and container in accordance with local,

regional, national, and international regulations..

Hazards not otherwise classified:

No data available

Product identifier used on the label: 5W30 FS HM SP/GF-6A Product

**Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Highly refined synthetic base stocks	No data available	64742-54-7	80 - 100
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	5 - 10
Benzenamine, ar-nonyl-N- (nonylphenyl)-	No data available	36878-20-3	0.5 - 1.5
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	No data available	2215-35-2	0.1 - 1
Petroleum distillates, solvent- refined heavy paraffinic	No data available	64741-88-4	0.1 - 1
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	64742-65-0	0.1 - 1

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

#### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

**Eye Contact:** None expected to be needed, however, use an eye wash to remove a

chemical from your eye regardless of the level of hazard.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing, launder

immediately, and discard contaminated leather goods. Get medical

attention immediately.

**Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical

attention immediately. Provide medical care provider with this SDS.

Most important symptoms/effects,

acute and delayed:

None known.

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available.

#### 5. Fire-fighting measures

#### Suitable (and unsuitable) extinguishing media:

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

**Replaces:** 

**Hazardous combustion products:** Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

#### 7. Handling and storage

Precautions for safe handling:

Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions:

Store in a cool dry place. Isolate from incompatible materials.

**Materials to Avoid/Chemical** 

Incompatibility:

Strong oxidizing agents

### 8. Exposure controls/personal protection

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

**Replaces:** 

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH	US WEEL
Highly refined synthetic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data	No data
base stocks				available	available
Petroleum distillates,	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data	No data
hydrotreated heavy				available	available
paraffinic					
Distillates, petroleum,	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data	No data
solvent-dewaxed heavy				available	available
paraffinic					

**Appropriate engineering controls:** Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Eye protection:** No special requirements under normal industrial use.

**Skin protection:** Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Gloves: Neoprene, Nitrile

**General hygiene conditions:** Follow all protective equipment recommendations provided in Section 8.

#### 9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Amber

Odor: Mild Petroleum
Odor Threshold: Not determined

Page **6** of **15** 

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

**Replaces:** 

pH: No data available

Melting point/freezing point:

Melting Point:

Freezing point:

No data available

No data available

Initial boiling point and boiling range

(°C):

No data available

Flash Point (°C): 230

**Evaporation Rate:**No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

Not established

Lower flammability or explosive

limits:

Not established

Vapor pressure:No data availableVapor density:No data available

**Relative density:** 0.85

Solubility(ies): Insoluble

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

No data available

No data available

Not determined

Viscosity: 58.96

#### 10. Stability and reactivity

or vibration):

Reactivity: There are no known reactivity hazards associated with this product.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** None expected under standard conditions of storage.

Conditions to avoid (e.g., static discharge, shock,

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other

sources of ignition.

Moisture (will lead to product performance degradation).

**Incompatible materials:** Strong oxidizing agents

Hazardous decomposition products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Page **7** of **15** 

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

#### 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Ingestion, Inhalation, Skin contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

None known.

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

**Ingestion:** No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

**Skin Contact:** This material is likely to be slightly irritating to skin based on animal

data. Can cause severe irritation, defatting, and dermatitis. Irritation effects may last for hours or days but will not likely result in permanent

damage.

**Inhalation:** No hazard in normal industrial use. Likely to be practically non-toxic

based on animal data.

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

Can cause minor irritation.

**Sensitization:** Non-hazardous under Respiratory Sensitization category.

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

**Carcinogenicity:** Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

**Reproductive toxicity**Not known or reported to cause reproductive or developmental toxicity.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Other information: None known.

Numerical measures of toxicity (such as acute toxicity estimates)

Based on available data, the classification criteria are not met.

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

**Replaces:** 

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

### 12. Ecological information

Ecotoxicity (aquatic and terrestrial,

where available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

**Ecological Toxicity Data:** 

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	2215-35-2	EC50 (48h) Daphnia magna 4 - 6 mg/L	Aquatic ERC50 (96h) 1 - 5 mg/L	LC50 (96h) > 100 mg/L
Benzenamine, ar-nonyl-N- (nonylphenyl)-	36878-20-3	EC50 (48h) Daphnia magna > 100 mg/L	EC50 (72h) Green Algae > 100 mg/L	LC50 (96h) Pimephales promelas (Fathead Minnow) > 1000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Highly refined synthetic base stocks	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Page **9** of **15** 

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

Other adverse effects (such as hazardous to the ozone layer):

None known.

#### 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible.

#### 14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

International carriage of dangerous goods by sea (IMDG/IMO):

**UN number:** Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

**UN number:** Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

in connection with transport or conveyance either within or outside

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):

Special precautions which a user needs to be aware of or needs to comply with

Page **10** of **15** 

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

their premises:

### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** All components of this material are on the Active US TSCA Inventory or

are exempt.

### **Regulated Components:**

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Highly refined synthetic base stocks	64742-54-7	N	N	N	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N
Benzenamine, ar- nonyl-N- (nonylphenyl)-	36878-20-3	N	N	N	N
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithio ate)	2215-35-2	N	N	N	N
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	N	N	N	N
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	N	N	N	N

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male	
Highly refined	64742-54-7	N	N	N	Z	
synthetic base stocks	04/42-34-7	IN	IN	IN	IN	
Petroleum distillates,						
hydrotreated heavy	64742-54-7	N	N	N	N	
paraffinic						

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

Benzenamine, ar- nonyl-N-	36878-20-3	N	N	N	N

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

(nonylphenyl)-					
Zinc 0,0,0',0'-					
tetrakis(1,3-					
dimethylbutyl)	2215-35-2	N	N	N	N
bis(phosphorodithio					
ate)					
Distillates,					
petroleum, solvent-	64742-65-0	N	N	N	N
dewaxed heavy	04/42-05-0	IN	IN	IN IN	IN
paraffinic					
Petroleum distillates,					
solvent-refined	64741-88-4	N	N	N	N
heavy paraffinic					

### **California Prop 65**

WARNING: This product can expose you to chemicals including Benzene which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Highly refined synthetic base stocks	64742-54-7	N	N	N	N	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N	N
Benzenamine, ar- nonyl-N- (nonylphenyl)-	36878-20-3	N	N	N	N	N
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithio ate)	2215-35-2	N	N	N	N	N
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	N	N	N	N	N

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

Petroleum distillates,						
solvent-refined	64741-88-4	N	N	N	N	N
heavy paraffinic						

Product identifier used on the label: 5W30 FS HM SP/GF-6A

**Product Code:** 950250530HX **Revision Date:** 09-15-2022

Replaces:

### 16. Other information, including date of preparation or last revision.

SDS Prepared by: ASCHNERRE Revision Date: 05-19-2022

Revision Number:

Reason for revision:NEW FORMULAReferences:No data availableOther Info:No data available

**Disclaimer:** This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.