

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 10.24.2023

## DuraMAX Full Synthetic SAE 0W-20 dexosD

#### **SECTION 1: Identification**

#### **Product Identifier**

Product Name: DuraMAX Full Synthetic SAE 0W-20 dexosD Product code: 950259020DD

#### **Recommended Use of the Product and Restriction on Use**

Relevant Identified Uses: Passenger car motor oil. Uses Advised Against: Any use than recommended above. Reasons Why Uses Advised Against: Not determined or not applicable.

#### **Manufacturer or Supplier Details**

Manufacturer: United States Reladyne, LLC 8280 Montgomery Road Suite 1 Cincinnati, OH 45236 (888) 830-3156 sds@reladyne.com

## **Emergency Telephone Number:**

**United States** INFOTRAC (800) 535-5053 (24/7)

## SECTION 2: Hazard(s) Identification

## **GHS Classification:**

Carcinogenicity, category 1B Aspiration hazard, category 1

#### Label elements

#### Hazard Pictograms:



Signal Word: Danger

#### Hazard statements:

H350 May cause cancer.

H304 May be fatal if swallowed and enters airways

## **Precautionary Statements:**

P201 Obtain special instructions before use P202 Do not handle until all safety precautions have been read and understood P280 Wear protective gloves, protective clothing and eye protection. P308+P313 If exposed or concerned: Get medical advice. P331 Do NOT induce vomiting Page 1 of 10

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial Preparation Date: 10.24.2023

#### DuraMAX Full Synthetic SAE 0W-20 dexosD

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER. P405 Store locked up P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

#### Hazards Not Otherwise Classified: None

#### **SECTION 3: Composition/Information on Ingredients**

Identification	Name	Weight %
CAS Number: 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	80-90

#### Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

#### **SECTION 4: First Aid Measures**

#### **Description of First Aid Measures**

#### **General Notes:**

Show this Safety Data Sheet to the doctor in attendance.

#### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

#### After Skin Contact:

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After Eye Contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

#### After Swallowing:

This product presents an aspiration hazard. If aspiration is suspected, seek emergency medical treatment. If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Most Important Symptoms and Effects, Both Acute and Delayed

#### Acute Symptoms and Effects:

May be fatal if swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis. Symptoms may include shortness of breath, dry cough and irritation of the nose, eyes, lips, mouth and throat.

#### **Delayed Symptoms and Effects:**

Exposure may cause cancer. Effects are dependent on exposure (dose, concentration, contact time).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 10.24.2023

#### DuraMAX Full Synthetic SAE 0W-20 dexosD

Symptoms of pulmonary edema may be delayed.

#### **Immediate Medical Attention and Special Treatment**

#### Specific Treatment:

Not determined or not applicable.

## Notes for the Doctor:

Treat symptomatically.

#### **SECTION 5: Firefighting Measures**

#### **Extinguishing Media**

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable Extinguishing Media:

Do not use water jet.

#### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

#### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

#### **SECTION 6: Accidental Release Measures**

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

#### **Environmental Precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### **Reference to Other Sections:**

For personal protective equipment see Section 8. For disposal see Section 13.

#### **SECTION 7: Handling and Storage**

#### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial Preparation Date: 10.24.2023

## DuraMAX Full Synthetic SAE 0W-20 dexosD

chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

## Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## **SECTION 8: Exposure Controls/Personal Protection**

Only those substances with limit values have been included below.

## **Occupational Exposure Limit Values:**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
NIOSH	Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	REL: 5 mg/m <sup>3</sup> (Oil mist, Mineral [for up to a 10-hour workday during a 40-hour workweek])
	Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	STEL: 10 mg/m <sup>3</sup> (Oil mist, mineral)
	Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	IDLH: 2500 mg/m³ (Oil mist, mineral)
United States(California)	Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	8-Hour TWA: 5 mg/m³ (Oil (mineral) mist, particulate)
ACGIH	Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	8-Hour TWA: 5 mg/m <sup>3</sup> (Mineral oil, excluding metal working fluids, pure, highly and severely refined, inhalable fraction)

## **Biological Limit Values:**

No biological exposure limits noted for the ingredient(s).

## Information on Monitoring Procedures:

Not determined or not applicable.

## **Appropriate Engineering Controls:**

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

## **Personal Protection Equipment**

## **Eye and Face Protection:**

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

## Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

## **Respiratory Protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial Preparation Date: 10.24.2023 DuraMAX Full Synthetic SAE 0W-20 dexosD

recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

#### **General Hygienic Measures:**

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

#### **SECTION 9: Physical and Chemical Properties**

#### Information on Basic Physical and Chemical Properties

OdorTypical PetroleumOdor thresholdNot determined or not available.pHNot determined or not available.Melting point/freezing pointNot determined or not available.Initial boiling point/rangeNot determined or not available.Flash point (closed cup)204 °C / 400 °FEvaporation rateNot determined or not available.Flammability (solid, gas)Not determined or not available.Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.		
Odor thresholdNot determined or not available.pHNot determined or not available.Melting point/freezing pointNot determined or not available.Initial boiling point/rangeNot determined or not available.Flash point (closed cup)204 °C / 400 °FEvaporation rateNot determined or not available.Flammability (solid, gas)Not determined or not available.Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Appearance	Light Amber Viscous Liquid
pHNot determined or not available.Melting point/freezing pointNot determined or not available.Initial boiling point/rangeNot determined or not available.Flash point (closed cup)204 °C / 400 °FEvaporation rateNot determined or not available.Flammability (solid, gas)Not determined or not available.Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Odor	Typical Petroleum
Melting point/freezing pointNot determined or not available.Initial boiling point/rangeNot determined or not available.Flash point (closed cup)204 °C / 400 °FEvaporation rateNot determined or not available.Flammability (solid, gas)Not determined or not available.Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Odor threshold	Not determined or not available.
Initial boiling point/rangeNot determined or not available.Flash point (closed cup)204 °C / 400 °FEvaporation rateNot determined or not available.Flammability (solid, gas)Not determined or not available.Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	рН	Not determined or not available.
Flash point (closed cup)204 °C / 400 °FEvaporation rateNot determined or not available.Flammability (solid, gas)Not determined or not available.Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Melting point/freezing point	Not determined or not available.
Evaporation rateNot determined or not available.Flammability (solid, gas)Not determined or not available.Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Initial boiling point/range	Not determined or not available.
Flammability (solid, gas)Not determined or not available.Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Flash point (closed cup)	204 °C / 400 °F
Upper flammability/explosive limitNot determined or not available.Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Evaporation rate	Not determined or not available.
Lower flammability/explosive limitNot determined or not available.Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Flammability (solid, gas)	Not determined or not available.
Vapor pressureNot determined or not available.Vapor density>1DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Upper flammability/explosive limit	Not determined or not available.
Vapor density>1DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Lower flammability/explosive limit	Not determined or not available.
DensityNot determined or not available.Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Vapor pressure	Not determined or not available.
Relative densityNot determined or not available.SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Vapor density	>1
SolubilitiesNot determined or not available.Partition coefficient (n-octanol/water)Not determined or not available.Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Density	Not determined or not available.
Partition coefficient (n-octanol/water) Not determined or not available.   Auto/Self-ignition temperature Not determined or not available.   Decomposition temperature Not determined or not available.   Dynamic viscosity Not determined or not available.   Kinematic viscosity Not determined or not available.	Relative density	Not determined or not available.
Auto/Self-ignition temperatureNot determined or not available.Decomposition temperatureNot determined or not available.Dynamic viscosityNot determined or not available.Kinematic viscosityNot determined or not available.	Solubilities	Not determined or not available.
Decomposition temperature Not determined or not available.   Dynamic viscosity Not determined or not available.   Kinematic viscosity Not determined or not available.	Partition coefficient (n-octanol/water)	Not determined or not available.
Dynamic viscosity Not determined or not available.   Kinematic viscosity Not determined or not available.	Auto/Self-ignition temperature	Not determined or not available.
Kinematic viscosity   Not determined or not available.	Decomposition temperature	Not determined or not available.
	Dynamic viscosity	Not determined or not available.
Explosive properties Not determined or not available.	Kinematic viscosity	Not determined or not available.
	Explosive properties	Not determined or not available.
Oxidizing properties Not determined or not available.	Oxidizing properties	Not determined or not available.

## SECTION 10: Stability and Reactivity

#### **Reactivity:**

Not reactive under recommended handling and storage conditions.

#### **Chemical Stability:**

Stable under recommended handling and storage conditions.

## **Possibility of Hazardous Reactions:**

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### **Conditions to Avoid:**

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials. **Incompatible Materials:** 

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial Preparation Date: 10.24.2023

DuraMAX Full Synthetic SAE 0W-20 dexosD

Strong oxidizing agents

## Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological Information**

## **Acute Toxicity**

Assessment: Based on available data, the classification criteria are not met.

#### Product Data: No data available.

## Substance Data:

Name	Route	Result
Distillates (petroleum),	oral	LD50 Rat: >5000 mg/kg
hydrotreated heavy paraffinic	dermal	LD50 Rabbit: >5000 mg/kg
	inhalation	LC50 Rat: > 5.0 mg/L (4 hr [Mist])

#### Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

Substance Data: No data available.

## Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

Substance Data: No data available.

## **Respiratory or Skin Sensitization**

Assessment: Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

Substance Data: No data available.

#### Carcinogenicity

#### Assessment:

May cause cancer.

#### Product Data: No data available.

#### Substance Data:

Name	Species	Result
Distillates (petroleum), hydrotreated heavy paraffinic		May cause cancer.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Distillates (petroleum),	Not Applicable
hydrotreated heavy paraffinic	

## National Toxicology Program (NTP):

Name	Classification
Distillates (petroleum), hydrotreated heavy paraffinic	Not Applicable

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 10.24.2023

DuraMAX Full Synthetic SAE 0W-20 dexosD

**OSHA Carcinogens:** Not applicable

#### Assessment: Based on available data, the classification criteria are not met. Product Data:

Germ Cell Mutagenicity

No data available.

Substance Data: No data available.

## **Reproductive Toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

## Product Data:

No data available.

Substance Data: No data available.

## Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

## **Product Data:**

No data available.

Substance Data: No data available.

## Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

## **Product Data:**

No data available.

Substance Data: No data available.

## Aspiration toxicity

## Assessment:

May be fatal if swallowed and enters airways.

## **Product Data:**

No data available.

## Substance Data:

Name	Result
Distillates (petroleum), hydrotreated heavy paraffinic	May be fatal if swallowed and enters airways.

## Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

## **SECTION 12: Ecological Information**

## Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

## Substance Data:

Name	Result
	Fish LC50 Pimephales promelas: > 100 mg/L (96 hr [LL50 - mortality])
	Aquatic Invertebrates EC50 Daphnia magna: > 10000 mg/L (48 hr [EL50 - mobility])

## Chronic (Long-Term) Toxicity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial Preparation Date: 10.24.2023

## DuraMAX Full Synthetic SAE 0W-20 dexosD

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

## Substance Data:

Name	Result
Distillates (petroleum), hydrotreated heavy paraffinic	Aquatic Invertebrates NOEC Daphnia magna: 10 mg/L (21 d [NOEL - reproduction])

## Persistence and Degradability

## Product Data: No data available.

#### Substance Data:

Name	Result	
hydrotreated heavy paraffinic	This substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.	

#### **Bioaccumulative Potential**

Product Data: No data available.

## Substance Data:

Name	Result
hydrotreated heavy paraffinic	This substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.

## **Mobility in Soil**

Product Data: No data available.

#### Substance Data:

Name	Result
hydrotreated heavy paraffinic	This substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.

#### Results of PBT and vPvB assessment

#### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

## Substance Data:

## PBT assessment:

Distillates (petroleum), hydrotreated heavy paraffinic	This substance is a UVCB. This substance does not contain constituents included in the SVHC candidate list as PBT at concentrations above 0.1%.		
vPvB assessment:			
	This substance is a UVCB. This substance does not contain constituents included in the SVHC candidate list as vPvB at concentrations above 0.1%.		

## Other Adverse Effects: No data available.

#### **SECTION 13: Disposal Considerations**

#### **Disposal Methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional, state and federal regulations.

## Contaminated packages:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial Preparation Date: 10.24.2023

DuraMAX Full Synthetic SAE 0W-20 dexosD

Not determined or not applicable.

## **SECTION 14: Transport Information**

## United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

## International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

## SECTION 15: Regulatory Information

## **United States Regulations**

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

## Massachusetts Right to Know:

	64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	Listed	
New Jersey Right to Know:				

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

New York Right to Know: None of the ingredients are listed.

Pennsylvania Right to Know:

Listed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial Preparation Date: 10.24.2023 DuraMAX Full Synthetic SAE 0W-20 dexosD

64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	Listed

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

#### **SECTION 16: Other Information**

# Abbreviations and Acronyms: None

## **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-1-0 HMIS: 1-1-0

Initial Preparation Date: 10.24.2023

## End of Safety Data Sheet

Page 10 of 10