

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024 Page 1 of 11

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

SECTION 1: Identification

Product Identifier

Product Name: DuraMax Hi Mileage Additive

Product code: 950769999HM0806, 950769999HM0811

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Automotive oil additive or automotive/mixture

Uses Advised Against: Any use than recommended above.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer: United States

Reladyne, LLC 8280 Montgomery Road Suite 101 Cincinnati, OH 45236 (888) 830-3156 sds@reladyne.com

Emergency Telephone Number:

United States

INFOTRAC (800) 535-5053 (24/7)

SECTION 2: Hazard(s) Identification

GHS Classification:

Skin irritation, category 2
Serious eye damage, category 1
Aspiration hazard, category 1
Acute aquatic hazard, category 2

Label elements

Hazard Pictograms:







Signal Word: Danger **Hazard statements:**

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H318 Causes serious eye damage

H401 Toxic to aquatic life

Precautionary Statements:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing and eye protection.

P273 Avoid release to the environment

P331 Do NOT induce vomiting

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P332+P313 If skin irritation occurs: Get medical advice.

P362 Take off contaminated clothing and wash it before reuse

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER.

P405 Store locked up

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 64742-58-1	Lubricating oils (petroleum), hydrotreated spent	80-85
CAS Number: Trade Secret	Proprietary Component 1	5-10
CAS Number: Trade Secret	Proprietary Component 2	5-10
CAS Number: 68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	1-2

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

Page 2 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024 Page 3

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

After Swallowing:

This product presents an aspiration hazard. If aspiration is suspected, seek emergency medical treatment. If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

May be fatal if swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis. Symptoms may include shortness of breath, dry cough and irritation of the nose, eyes, lips, mouth and throat.

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Delayed Symptoms and Effects:

Symptoms of pulmonary edema may be delayed.

Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Page 3 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	8-Hour TWA: 5 mg/m³ (Mineral oil, excluding metal working fluids, pure, highly and severely refined, inhalable fraction ()
NIOSH	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	TWA: 400 mg/m³
	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	TWA: 100 ppm
	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	Ceiling Limit: 1800 mg/m³ (Ceiling 15 min (as Petroleum distillates))
	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	IDLH: 1000 ppm
OSHA	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	TWA: 400 mg/m ³
	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	TWA: 100 ppm
United States(California)	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	PEL: 1600 mg/m ³
	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	PEL: 400 ppm
	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	STEL: 1800 mg/m ³

Page 4 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024 Page

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Lubricating oils (petroleum), hydrotreated spent	64742-58-1	STEL: 400 ppm

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Amber Liquid
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
рН	Not determined or not available.

Page 5 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	> 166 C (240.8 F)
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	0.981
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	10-11 cSt @100°C
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Route	Result
Phosphorodithioic acid, O,O-di-	oral	LD50 Rat: 2154 mg/kg
C1-14-alkyl esters, zinc salts	dermal	LD50 Rabbit: >3160 mg/kg

Page 6 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

Name	Route	Result
Lubricating oils (petroleum),	oral	LD50 Rat: >2000 mg/kg
hydrotreated spent	dermal	LD50 Rabbit: >4480 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes skin irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Phosphorodithioic acid, O,O-di-	Causes skin irritation.
C1-14-alkyl esters, zinc salts	

Serious Eye Damage/Irritation

Assessment:

Causes serious eye damage.

Product Data:

No data available.

Substance Data:

Name	Result
Phosphorodithioic acid, O,O-di-	Causes serious eye irritation.
C1-14-alkyl esters, zinc salts	

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available. **Substance Data:** No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Page 7 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

Product Data:No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Aspiration toxicity
Assessment:

May be fatal if swallowed and enters airways.

Product Data:No data available. **Substance Data:**

Name	Result
Lubricating oils (petroleum),	May be fatal if swallowed and enters airways.
hydrotreated spent	

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available. **Other Information:**No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment:

Toxic to aquatic life.

Product Data: No data available.

Substance Data: No data available.

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Persistence and Degradability
Product Data: No data available.

Substance Data:

Name	Result
	The substance is not biodegradable. 0% degradation in water, measured by O2 consumption, after 28 days(Read-across substance data).
1	Standard biodegradability studies are not applicable to petroleum UVCB substances.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Page 8 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

NameResultPhosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc saltsThe substance has the potential to bioaccumulate significantly (log Pow:14.88 at 25 °C).Lubricating oils (petroleum), hydrotreated spentStandard bioaccumulation studies are not applicable to petroleum UVCB substances.

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
	The substance is hardly mobile, therefore, there is a high potential for adsorption to soil and sediment (Koc: 24,433 dimensionless).
1	Standard adsorption/desorption studies are not applicable to petroleum UVCB substances.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Phosphorodithioic acid, 0,0-di-C1-14-alkyl esters, zinc salts	The substance is not PBT.	
Lubricating oils (petroleum), hydrotreated spent	Standard PBT studies are not applicable to petroleum UVCB substances.	
vPvB assessment:		
Phosphorodithinic acid O O-	The substance is not vPvB	

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	The substance is not vPvB.
1	Standard vBvB studies are not applicable to petroleum UVCB substances.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional, state and federal regulations.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None

Page 9 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals:

	68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts		Listed	
CERCLA:					
	68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Listed		

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know: None of the ingredients are listed.

New Jersey Right to Know:

	68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Listed	
--	------------	---	--------	--

New York Right to Know:

68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Listed	
anadara'a Binkka Kusuu			

Pennsylvania Right to Know:

68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Listed
------------	---	--------

California Proposition 65:

▲WARNING: This product can expose you to 1,4-dioxane; which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

▲WARNING: This product can expose you to Ethylene oxide; which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to

Page 10 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2024 Page 11 of 11

Revision date: 04.19.2024

DuraMax Hi Mileage Additive

www.P65Warnings.ca.gov.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial Preparation Date: 04.03.2024

Revision date: 04.19.2024

End of Safety Data Sheet